

1. Identification

Product identifier	ENVERGE Closed Cell Spray Foam - Part A Isocyanate
Other means of identification	
Product code	ISO-CC-CAN-2500
Recommended use	Industrial use.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	
Distributed by	Holcim Solutions and Products Canada, a Division of Lafarge Canada Inc.
Address	6509 Airport Road Mississauga, Ontario L4V 1S7 ENVERGE™ is a Holcim Solutions and Products US, LLC brand.
Website	envergesprayfoam.com
Email	contactSPF-us@holcim.com
Telephone number	+1 713-239-0252 • Français: 1-888-292-6265
Emergency telephone number	For Chemical Emergency, Spill, Leak, Fire, Exposure, or Incident: CHEMTREC within USA and Canada: 1-800-424-9300 CHEMTREC outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2. Hazard identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, inhalation	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, respiratory	Category 1
	Sensitization, skin	Category 1
	Carcinogenicity	Category 2
	Specific target organ toxicity following single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity following repeated exposure (inhalation)	Category 2 (respiratory system)

Label elements



Signal word	Danger
Hazard statement	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs (respiratory system) through prolonged or repeated exposure by inhalation.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapours. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection.

Response	IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTRE/doctor. Take off contaminated clothing and wash it before reuse.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental information	None.
Other hazards	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Polymethylene polyphenylene isocyanate		9016-87-9	30 - 60
Methylene diphenyl diisocyanate		101-68-8	30 - 60
O-(p-isocyanatobenzyl)phenyl Isocyanate		5873-54-1	1 - 5

Impurities

Chemical name	Common name and synonyms	CAS number	%
Chlorobenzene		108-90-7	< 0.01
Phenyl isocyanate		103-71-9	< 0.01

Composition comments Occupational Exposure Limits for impurities are listed in Section 8. All concentrations are in percent by weight unless otherwise indicated. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: call a poison centre or doctor / physician.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Coughing. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Water.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed such as: Carbon oxides. Nitrogen Oxides (NO _x). Hydrogen cyanide.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up The product is immiscible with water and will sediment in water systems.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labelled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapours. Avoid contact with eyes, skin, and clothing. Persons already sensitised to diisocyanates may develop allergic reactions when using this product. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values (TLV)

Components	Type	Value
Methylene diphenyl diisocyanate (CAS 101-68-8)	TWA	0.005 ppm
Impurities	Type	Value
Chlorobenzene (CAS 108-90-7)	TWA	10 ppm
Phenyl isocyanate (CAS 103-71-9)	STEL	0.015 ppm
	TWA	0.005 ppm

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended

Components	Type	Value
Methylene diphenyl diisocyanate (CAS 101-68-8)	TWA	0.05 mg/m ³
Polymethylene polyphenylene isocyanate (CAS 9016-87-9)	TWA	0.005 ppm
		0.07 mg/m ³
Impurities	Type	Value
Chlorobenzene (CAS 108-90-7)	TWA	46 mg/m ³

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended

Impurities	Type	Value
------------	------	-------

10 ppm

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value
------------	------	-------

Methylene diphenyl diisocyanate (CAS 101-68-8)

Ceiling

0.01 ppm

TWA

0.005 ppm

O-(p-isocyanatobenzyl)phenyl Isocyanate (CAS 5873-54-1)

Ceiling

0.01 ppm

TWA

0.005 ppm

Polymethylene polyphenylene isocyanate (CAS 9016-87-9)

Ceiling

0.01 ppm

TWA

0.005 ppm

Impurities

Type

Value

Chlorobenzene (CAS 108-90-7)

TWA

10 ppm

Phenyl isocyanate (CAS 103-71-9)

Ceiling

0.01 ppm

TWA

0.005 ppm

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended

Components	Type	Value
------------	------	-------

Methylene diphenyl diisocyanate (CAS 101-68-8)

TWA

0.005 ppm

Impurities

Type

Value

Chlorobenzene (CAS 108-90-7)

TWA

10 ppm

Phenyl isocyanate (CAS 103-71-9)

STEL

0.015 ppm

TWA

0.005 ppm

Canada. New Brunswick OELs: Threshold Limit Values (TLVs) Based on the 1991 and 1997 ACGIH TLVs and BEIs Publication (New Brunswick Regulation 91-191)

Components	Type	Value
------------	------	-------

Methylene diphenyl diisocyanate (CAS 101-68-8)

TWA

0.051 mg/m³

0.005 ppm

Impurities

Type

Value

Chlorobenzene (CAS 108-90-7)

TWA

46 mg/m³

10 ppm

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended

Components	Type	Value
------------	------	-------

Methylene diphenyl diisocyanate (CAS 101-68-8)

Ceiling

0.02 ppm

TWA

0.005 ppm

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended

Impurities	Type	Value
Chlorobenzene (CAS 108-90-7)	TWA	10 ppm
Phenyl isocyanate (CAS 103-71-9)	STEL	0.015 ppm
	TWA	0.005 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Type	Value
Methylene diphenyl diisocyanate (CAS 101-68-8)	TWA	0.051 mg/m ³
		0.005 ppm

Impurities	Type	Value
Chlorobenzene (CAS 108-90-7)	TWA	10 ppm
Phenyl isocyanate (CAS 103-71-9)	STEL	0.015 ppm
	TWA	0.005 ppm

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended

Components	Type	Value
Methylene diphenyl diisocyanate (CAS 101-68-8)	15 minute	0.015 ppm
	8 hour	0.005 ppm
Chlorobenzene (CAS 108-90-7)	15 minute	15 ppm
	8 hour	10 ppm

Biological limit values**ACGIH Biological Exposure Indices (BEI)**

Impurities	Value	Determinant	Specimen	Sampling Time
Chlorobenzene (CAS 108-90-7)	20 mg/g	p-Chlorophenol , with hydrolysis	Creatinine in urine	*

* - For sampling details, please see the source document.

Exposure guidelines**Canada - British Columbia OELs: Skin designation**

Phenyl isocyanate (CAS 103-71-9) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

Phenyl isocyanate (CAS 103-71-9) Danger of cutaneous absorption

Canada - Ontario OELs: Skin designation

Phenyl isocyanate (CAS 103-71-9) Can be absorbed through the skin.

Canada - Quebec OELs: Skin designation

Phenyl isocyanate (CAS 103-71-9) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Phenyl isocyanate (CAS 103-71-9) Danger of cutaneous absorption

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Should be handled in closed systems, if possible. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved chemical safety goggles.

Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Use disposable gloves protecting against isocyanates along with cotton gloves closest to the skin. Suitable gloves can be recommended by the glove supplier.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapour cartridge. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. Appropriate respirator selection should be made by a qualified professional.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Colour	Brown.
Odour	Musty, Slightly sweet.
Odour threshold	Not available.
pH	Not applicable as the product is insoluble in water.
Melting point/freezing point	Not determined.
Initial boiling point and boiling range	208 °C (406.4 °F)
Flash point	198 °C (388.4 °F) Closed cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Not determined.
Explosive limit – upper (%)	Not determined.
Vapour pressure	< 0.0001 mm Hg (25 °C (77 °F))
Vapour density	Not determined.
Relative density	1.234 (25 °C (77 °F))
Solubility(ies)	
Solubility (water)	Insoluble in water.
Partition coefficient (n-octanol/water)	Not applicable, product is a mixture.
Auto-ignition temperature	Not determined.
Decomposition temperature	Not determined.
Viscosity	> 150 - < 250 mPa·s (25 °C (77 °F))
Other information	
Density	10.279 lb/gal
Explosive properties	Not explosive.
Kinematic viscosity	Not determined.
Oxidising properties	Not oxidising.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport. Diisocyanates react with many materials and the rate of reaction increases with temperature as well as increased contact; these reactions can become violent. Contact is increased with stirring or if the other material mixes with the diisocyanate. Diisocyanates are not soluble in water and sink to the bottom, but react slowly at the interface. The reaction forms carbon dioxide gas and a layer of solid polyurea. Reaction with water will generate carbon dioxide and heat.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use. Product will undergo hazardous polymerisation at temperatures above 399 °FF (204 °CC).
Conditions to avoid	Moisture. Humidity. Contact with incompatible materials.
Incompatible materials	Acids. Strong oxidising agents. Alkali metals. Alcohols. Phenols. Copper. Copper alloys. Galvanized metals. Water. Amines. Strong bases.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure by inhalation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Coughing. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Harmful if inhaled.

Components	Species	Test Results
Methylene diphenyl diisocyanate (CAS 101-68-8)		
Acute		
Inhalation		
LC50	Rat	> 2.24 mg/l, 1 Hours
Polymethylene polyphenylene isocyanate (CAS 9016-87-9)		
Acute		
Dermal		
LD50	Rabbit	> 10000 mg/kg
Inhalation		
<i>Mist</i>		
LC50	Rat	> 490 mg/m3, 4 Hours
Oral		
LD50	Rat	> 10000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitisation

ACGIH sensitisation

Phenyl isocyanate (CAS 103-71-9) Dermal sensitisation
Respiratory sensitisation

Canada - Manitoba OELs Hazard: Dermal sensitization

Phenyl isocyanate (CAS 103-71-9) Dermal sensitisation

Canada - Manitoba OELs Hazard: Respiratory sensitization

Phenyl isocyanate (CAS 103-71-9) Respiratory sensitisation

Canada - Quebec OELs: Sensitizer

Methylene diphenyl diisocyanate (CAS 101-68-8)	Sensitiser.
Phenyl isocyanate (CAS 103-71-9)	Sensitiser.

Respiratory sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.**Skin sensitisation** May cause an allergic skin reaction.**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.**Carcinogenicity** Suspected of causing cancer.**ACGIH Carcinogens**

Chlorobenzene (CAS 108-90-7)	A3 Confirmed animal carcinogen with unknown relevance to humans.
------------------------------	--

Canada - Manitoba OELs: carcinogenicity

Chlorobenzene (CAS 108-90-7)	Confirmed animal carcinogen with unknown relevance to humans.
------------------------------	---

Canada - Quebec OELs: Carcinogen category

Chlorobenzene (CAS 108-90-7)	Detected carcinogenic effect in animals.
------------------------------	--

IARC Monographs. Overall Evaluation of Carcinogenicity

Methylene diphenyl diisocyanate (CAS 101-68-8)	3 Not classifiable as to carcinogenicity to humans.
O-(p-isocyanatobenzyl)phenyl Isocyanate (CAS 5873-54-1)	3 Not classifiable as to carcinogenicity to humans.
Polymethylene polyphenylene isocyanate (CAS 9016-87-9)	3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.**Specific target organ toxicity - single exposure** May cause respiratory irritation.**Specific target organ toxicity - repeated exposure** May cause damage to organs (respiratory system) through prolonged or repeated exposure by inhalation.**Aspiration hazard** Not an aspiration hazard.**Chronic effects** Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.**12. Ecological information****Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.**Persistence and degradability** No data is available on the degradability of this product.**Bioaccumulative potential****Partition coefficient n-octanol / water (log Kow)**

Methylene diphenyl diisocyanate (CAS 101-68-8)	5.22
--	------

Mobility in soil The product is insoluble in water.**Other adverse effects** No data available.**13. Disposal considerations****Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.**Local disposal regulations** Dispose in accordance with all applicable regulations.**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.**14. Transport information****TDG**

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 14-November-2023
Revision date -
Version No. 01

Disclaimer

Holcim Solutions and Products Canada cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.