SAFETY DATA SHEET



1. Identification

Product identifier ENVERGE NexSeal 2.0 (1760R) - Part B Polyol - Closed Cell

Other means of identification

Product code F1760R-CC

Recommended use Component for the manufacture of polyurethane polymers.

Recommended restrictions For professional use only. Manufacturer/Importer/Supplier/Distributor information

Distributed by Holcim Solutions and Products US, LLC

Address 26 Century Boulevard, Suite 205

Nashville, TN 37214

ENVERGE™ is a Holcim Solutions and Products US, LLC brand.

Website envergesprayfoam.com **Email** contactSPF-us@holcim.com

Telephone Number (713) 239-0252

Emergency Telephone

Number

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Incident:

CHEMTREC within USA and Canada: 1-800-424-9300

CHEMTREC outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2. Hazard(s) identification

Not classified. Physical hazards

Category 4 Health hazards Acute toxicity, oral

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Sensitization, skin Category 1 Reproductive toxicity Category 2

Specific target organ toxicity, repeated Category 2 (kidney)

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word

Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious **Hazard statement**

> eye irritation. Suspected of damaging fertility or the unborn child. May cause damage to organs (kidney) through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.

Category 3

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

ENVERGE NexSeal 2.0 (1760R) - Part B Polyol - Closed Cell 967198 Version #: 01 Revision date: - Issue date: 04-December-2023

If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with Response

plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Store locked up. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Diethylene glycol	111-46-6	10 - 15
4-Nonylphenol branched, ethoxylated	127087-87-0	1 - 5
Tris(2-chloro-1-methylethyl) Phosphate	13674-84-5	1 - 5
Ethylene glycol	107-21-1	0.5 - 1.5
dimethyltin bis(ethylhexyl mercaptoacetate)	57583-35-4	0.1 - 0.5

All concentrations are in percent by weight unless otherwise indicated. Composition comments

Components not listed are either non-hazardous or are below reportable limits.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Ingestion

Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Edema. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods General fire hazards Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed such as: Carbon oxides. Nitrogen oxides.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent product from entering drains.

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Absorb spillage with suitable absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Do not get this material in contact with eyes. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Persons susceptible to allergic reactions should not handle this product.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Type	Value	,
dimethyltin bis(ethylhexyl mercaptoacetate) (CAS 57583-35-4)	PEL	0.1 mg/m3	
US. ACGIH Threshold Limit Value	es (TLV)		
Components	Туре	Value	Form
dimethyltin bis(ethylhexyl mercaptoacetate) (CAS 57583-35-4)	STEL	0.2 mg/m3	
	TWA	0.1 mg/m3	
Ethylene glycol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
NIOSH. Immediately Dangerous t	o Life or Health (IDLH) Values	, as amended	
Components	Туре	Value	
dimethyltin bis(ethylhexyl mercaptoacetate) (CAS 57583-35-4)	IDLH	25 mg/m3	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
dimethyltin bis(ethylhexyl mercaptoacetate) (CAS 57583-35-4)	TWA	0.1 mg/m3	

US. OARS. Workplace Environmental Exposure Level (WEEL) Guide

Components Type Value

Diethylene glycol (CAS 111-46-6)

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

dimethyltin bis(ethylhexyl mercaptoacetate)

Can be absorbed through the skin.

TWA

(CAS 57583-35-4)

US - Minnesota Haz Subs: Skin designation applies

dimethyltin bis(ethylhexyl mercaptoacetate)

Skin designation applies.

(CAS 57583-35-4)

US - Tennessee OELs: Skin designation

dimethyltin bis(ethylhexyl mercaptoacetate)

Can be absorbed through the skin.

(CAS 57583-35-4)

US ACGIH Threshold Limit Values: Skin designation

dimethyltin bis(ethylhexyl mercaptoacetate)

Danger of cutaneous absorption

(CAS 57583-35-4)

US. NIOSH: Pocket Guide to Chemical Hazards

dimethyltin bis(ethylhexyl mercaptoacetate)

Can be absorbed through the skin.

(CAS 57583-35-4)

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency

10 mg/m3

shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved chemical safety goggles. Face shield is recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Examples of preferred glove barrier materials include:

Butyl rubber. Nitrile butyl rubber (NBR). Neoprene. Suitable gloves can be recommended by the

glove supplier.

Skin protection

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor

cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Slightly viscous liquid.

Color Light brown.
Odor Amine.
Odor threshold Not available.

oH 10

Melting point/freezing point Not determined.

Initial boiling point and boiling Not determined.

range

Flash point > 200 °F (> 93.33 °C) Closed Cup

SDS US

Not determined. **Evaporation rate** Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not determined. Explosive limit - upper (%) Not determined. Not determined. Vapor pressure

Not determined. Vapor density 1.23 (77 °F (25 °C)) Relative density

Solubility(ies)

Slightly soluble. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Not determined. **Auto-ignition temperature Decomposition temperature** Not determined.

569 cps (77 °F (25 °C)) **Viscosity**

Other information

Density 10.26 lb/gal (77 °F (25 °C))

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Isocyanates.

Hazardous decomposition

products

No hazardous decomposition products are known. In the event of fire: See Section 5.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Causes serious eye irritation. Eye contact

Harmful if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Test Results

Dermatitis. Rash. Edema.

Species

Information on toxicological effects

Harmful if swallowed. **Acute toxicity**

1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol (CAS 77098-07-8)

Acute

Components

Dermal

LD50 Rabbit > 20000 mg/kg

Inhalation

Vapor

LC50 Rat > 0.008 mg/l

Oral

LD50 Rat > 10000 mg/kg Components Species Test Results

Diethylene glycol (CAS 111-46-6)

Acute Dermal

LD50 Rabbit 11890 mg/kg

Ethylene glycol (CAS 107-21-1)

Acute Dermal

LD50 Rabbit 9530 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure.

Test Results

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol (CAS 77098-07-8)

Aquatic

Components

Acute

Fish LC50 Lepomis macrochirus 12 mg/l, 96 hours

Species

Ethylene glycol (CAS 107-21-1)

Aquatic

Acute

Crustacea EC50 Ceriodaphnia dubia 10000 mg/l, 48 Hours Fish LC50 Oncorhynchus mykiss 24591 mg/l, 96 Hours

Chronic

Crustacea NOEC Ceriodaphnia dubia 3469 mg/l, 7 days
Fish NOEC Oncorhynchus mykiss 14692 mg/l, 12 days

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available for this product.

Partition coefficient n-octanol / water (log Kow)

Diethylene glycol (CAS 111-46-6) -1.47 Ethylene glycol (CAS 107-21-1) -1.36 Mobility in soilNo data available.Other adverse effectsNo data available.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packagingSince emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

ng to Not established.

Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

TSCA Chemical Action Plans, Chemicals of Concern

4-Nonylphenol branched, ethoxylated Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action

(CAS 127087-87-0) Plan

CERCLA Hazardous Substance List (40 CFR 302.4)

Ethylene glycol (CAS 107-21-1) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

"active"

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

967198

iluous 163

Classified hazard

Acute toxicity (any route of exposure)

categories Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
4-Nonylphenol branched, ethoxylated	127087-87-0	1 - 5	
Ethylene glycol	107-21-1	0.5 - 1.5	

Version #: 01 Revision date: - Issue date: 04-December-2023

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethylene glycol (CAS 107-21-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Ethylene glycol (CAS 107-21-1)

US. New Jersey Worker and Community Right-to-Know Act

4-Nonylphenol branched, ethoxylated (CAS 127087-87-0)

Ethylene glycol (CAS 107-21-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Diethylene glycol (CAS 111-46-6) Ethylene glycol (CAS 107-21-1)

US. Rhode Island RTK

Diethylene glycol (CAS 111-46-6)

dimethyltin bis(ethylhexyl mercaptoacetate) (CAS 57583-35-4)

Ethylene glycol (CAS 107-21-1)

California Proposition 65



WARNING: This product can expose you to chemicals including Ethylene Oxide and 1,4-Dioxane, which are known to the State of California to cause cancer, and Ethylene Oxide and Ethylene glycol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

1.4-Dioxane (CAS 123-91-1) Listed: January 1, 1988 Ethylene Oxide (CAS 75-21-8) Listed: July 1, 1987

California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene glycol (CAS 107-21-1) Listed: June 19, 2015 Ethylene Oxide (CAS 75-21-8) Listed: August 7, 2009

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Ethylene Oxide (CAS 75-21-8) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Ethylene Oxide (CAS 75-21-8) Listed: August 7, 2009

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

4-Nonylphenol branched, ethoxylated (CAS 127087-87-0)

Ethylene glycol (CAS 107-21-1)

Tris(2-chloro-1-methylethyl) Phosphate (CAS 13674-84-5)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 04-December-2023

Revision date Version # 01

Health: 2* **HMIS®** ratings

Flammability: 0 Physical hazard: 0

Disclaimer Holcim Solutions and Products US, LLC cannot anticipate all conditions under which this

> information and its product, or the products of other manufacturers in combination with its product. may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience

currently available.

967198 Version #: 01 Revision date: - Issue date: 04-December-2023

SAFETY DATA SHEET



1. Identification

Product identifier ENVERGE Closed Cell Spray Foam - Part A Isocyanate

Other means of identification

Product code ISO-CC-2500 Recommended use Industrial use. None known. **Recommended restrictions**

Manufacturer/Importer/Supplier/Distributor information

Holcim Solutions and Products US. LLC Distributed by

Address 26 Century Boulevard, Suite 205

Nashville, TN 37214

ENVERGE™ is a Holcim Solutions and Products US, LLC brand.

Website envergesprayfoam.com **Email** contactSPF-us@holcim.com

Telephone Number (713) 239-0252

Emergency Telephone

Number

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Incident:

CHEMTREC within USA and Canada: 1-800-424-9300

CHEMTREC outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, inhalation Category 4

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Sensitization, respiratory Category 1 Sensitization, skin Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation Specific target organ toxicity, repeated Category 2 (respiratory system)

exposure (inhalation)

OSHA defined hazards Not classified.

Label elements



Signal word

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful **Hazard statement**

if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May cause damage to organs (respiratory system) through prolonged or

repeated exposure by inhalation.

Precautionary statement

Prevention Do not breathe mist/vapors. Wash thoroughly after handling. Use only outdoors or in a

well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate

ventilation wear respiratory protection.

ENVERGE Closed Cell Spray Foam - Part A Isocyanate 932080 Version #: 01 Revision date: - Issue date: 14-November-2023 **Response** If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable

for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. Take off

contaminated clothing and wash it before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Polymethylene polyphenylene isocyanate	9016-87-9	40 - 60
Methylene Diphenyl Diisocyanate	101-68-8	25 - 45
o-(p-lsocyanatobenzyl)phenyl isocyanate	5873-54-1	1 - 5

Impurities

Chemical name	Common name and synonyms	CAS number	%
Chlorobenzene		108-90-7	< 0.01
Phenyl Isocyanate		103-71-9	< 0.01

Composition comments

Occupational Exposure Limits for impurities are listed in Section 8.

All concentrations are in percent by weight unless otherwise indicated.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a poison center or doctor/physician.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Coughing. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Powder. Carbon dioxide (CO2).

Water.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed such as: Carbon oxides. Nitrogen Oxides (NOx). Hydrogen cyanide.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

ENVERGE Closed Cell Spray Foam - Part A Isocyanate 932080 Version #: 01 Revision date: - Issue date: 14-November-2023 Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

s so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

The product is immiscible with water and will sediment in water systems.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Avoid contact with eyes, skin, and clothing. Persons already sensitized to diisocyanates may develop allergic reactions when using this product. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
Methylene Diphenyl Diisocyanate (CAS 101-68-8)	Ceiling	0.2 mg/m3	
		0.02 ppm	
Impurities	Туре	Value	
Chlorobenzene (CAS 108-90-7)	PEL	350 mg/m3	
		75 ppm	
US. ACGIH Threshold Limit Valu	es (TLV)		
Components	Type	Value	
Methylene Diphenyl Diisocyanate (CAS 101-68-8)	TWA	0.005 ppm	
Impurities	Туре	Value	
Chlorobenzene (CAS 108-90-7)	TWA	10 ppm	
Phenyl Isocyanate (CAS 103-71-9)	STEL	0.015 ppm	
	TWA	0.005 ppm	

SDS US

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Value Components Type Methylene Diphenyl **IDLH** 75 mg/m3 Diisocyanate (CAS 101-68-8) **Impurities** Type Value Chlorobenzene (CAS **IDLH** 1.3 % 108-90-7) 1000 ppm **US. NIOSH: Pocket Guide to Chemical Hazards** Components Type Value Ceiling Methylene Diphenyl 0.2 mg/m3 Diisocyanate (CAS 101-68-8) 0.02 ppm **TWA** 0.05 mg/m3 0.005 ppm

Biological limit values

ACGIH Biological Exposure Indices (BEI)

Impurities	Value	Determinant	Specimen	Sampling Time
Chlorobenzene (CAS 108-90-7)	20 mg/g	p-Chlorophenol , with hydrolysis	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

Phenyl Isocyanate (CAS 103-71-9)

Danger of cutaneous absorption

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Should be handled in closed systems, if possible. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved chemical safety goggles.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Use disposable gloves protecting against isocyanates

along with cotton gloves closest to the skin. Suitable gloves can be recommended by the glove

supplier.

Skin protection

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection If engineer

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor cartridge. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. Appropriate respirator selection should be made by a qualified professional.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.

Color Brown.

Odor Musty, Slightly sweet.

Odor threshold Not available.

pH Not applicable as the product is insoluble in water.

Melting point/freezing point Not determined.

Initial boiling point and boiling 406.4 °F (208 °C)

range

Flash point 388.4 °F (198 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not determined.

Explosive limit - upper (%) Not determined.

Vapor pressure < 0.0001 mm Hg (77 °F (25 °C))

Vapor density Not determined.

Relative density 1.234 (77 °F (25 °C))

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Not applicable, product is a mixture.

(n-octanol/water)

Auto-ignition temperature Not determined.

Decomposition temperature Not determined.

Viscosity > 150 - < 250 mPa·s (77 °F (25 °C))

Other information

Density 10.279 lb/gal
Explosive properties Not explosive.
Kinematic viscosity Not determined.
Oxidizing properties Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Diisocyanates react with many materials and the rate of reaction increases with temperature as well as increased contact; these reactions can become violent. Contact is increased with stirring or if the other material mixes with the diisocyanate. Diisocyanates are not soluble in water and sink to the bottom, but react slowly at the interface. The reaction forms carbon dioxide gas and a layer of

solid polyurea. Reaction with water will generate carbon dioxide and heat.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use. Product will undergo hazardous

polymerization at temperatures above 399 °FF (204 °CC).

Conditions to avoid Moisture. Humidity. Contact with incompatible materials.

Incompatible materials Acids. Strong oxidizing agents. Alkaline metals. Alcohols. Phenols. Copper. Copper alloys.

Galvanized metals. Water. Amines. Strong bases.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure by

inhalation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Coughing. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Harmful if inhaled. Acute toxicity

Test Results Components Species

Methylene Diphenyl Diisocyanate (CAS 101-68-8)

Acute Inhalation

Rat LC50 > 2.24 mg/l, 1 Hours

Polymethylene polyphenylene isocyanate (CAS 9016-87-9)

Dermal

LD50 Rabbit > 10000 mg/kg

Inhalation

Mist

LC50 Rat > 490 mg/m3, 4 Hours

Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Causes serious eye irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization

ACGIH sensitization

Phenyl isocyanate (CAS 103-71-9) Dermal sensitization

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Not classifiable as to carcinogenicity to humans. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Methylene Diphenyl Diisocyanate (CAS 101-68-8)

o-(p-Isocyanatobenzyl)phenyl isocyanate

3 Not classifiable as to carcinogenicity to humans. 3 Not classifiable as to carcinogenicity to humans.

(CAS 5873-54-1)

Polymethylene polyphenylene isocyanate

(CAS 9016-87-9)

3 Not classifiable as to carcinogenicity to humans.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (respiratory system) through prolonged or repeated exposure by

inhalation.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of this product. Persistence and degradability

ENVERGE Closed Cell Spray Foam - Part A Isocyanate 932080 Version #: 01 Revision date: -Issue date: 14-November-2023

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Methylene Diphenyl Diisocyanate (CAS 101-68-8) 5.22

Mobility in soil The product is insoluble in water.

Other adverse effects No data available.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

TSCA Chemical Action Plans, Chemicals of Concern

Methylene Diphenyl Diisocyanate (CAS 101-68-8) Methylene Diphenyl Diisocyanate (MDI) And Related Compounds

Action Plan [RIN 2070-ZA15]

o-(p-Isocyanatobenzyl)phenyl isocyanate Methylene Diphenyl Diisocyanate (MDI) And Related Compounds

(CAS 5873-54-1) Action Plan [RIN 2070-ZA15]

Polymethylene polyphenylene isocyanate Methylene Diphenyl Diisocyanate (MDI) And Related Compounds

(CAS 9016-87-9) Action Plan [RIN 2070-ZA15]

CERCLA Hazardous Substance List (40 CFR 302.4)

Chlorobenzene (CAS 108-90-7) Listed. Methylene Diphenyl Diisocyanate (CAS 101-68-8) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

"active".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

ENVERGE Closed Cell Spray Foam - Part A Isocyanate

Classified hazard categories

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Methylene Diphenyl Diisocyanate	101-68-8	25 - 45	
Polymethylene polyphenylene isocyanate	9016-87-9	40 - 60	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Chlorobenzene (CAS 108-90-7)

Methylene Diphenyl Diisocyanate (CAS 101-68-8)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Chlorobenzene (CAS 108-90-7)

Methylene Diphenyl Diisocyanate (CAS 101-68-8)

US. New Jersey Worker and Community Right-to-Know Act

Chlorobenzene (CAS 108-90-7)

Methylene Diphenyl Diisocyanate (CAS 101-68-8)

o-(p-Isocyanatobenzyl)phenyl isocyanate (CAS 5873-54-1)

Phenyl Isocyanate (CAS 103-71-9)

Polymethylene polyphenylene isocyanate (CAS 9016-87-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Chlorobenzene (CAS 108-90-7)

Methylene Diphenyl Diisocyanate (CAS 101-68-8)

US. Rhode Island RTK

Chlorobenzene (CAS 108-90-7)

Methylene Diphenyl Diisocyanate (CAS 101-68-8)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Chlorobenzene (CAS 108-90-7)

Methylene Diphenyl Diisocyanate (CAS 101-68-8)

o-(p-Isocyanatobenzyl)phenyl isocyanate (CAS 5873-54-1)

Polymethylene polyphenylene isocyanate (CAS 9016-87-9)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

SDS US

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

16. Other information, including date of preparation or last revision

Issue date 14-November-2023

Revision date - 01

country(s).

HMIS® ratings Health: 2*

Flammability: 0 Physical hazard: 0

Disclaimer Holcim Solutions and Products US, LLC cannot anticipate all conditions under which this

information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience

currently available.

ENVERGE Closed Cell Spray Foam - Part A Isocyanate

932080 Version #: 01 Revision date: - Issue date: 14-November-2023 9 / 9