

Safety Data Sheet

Version 2.0

Revision Date 10/14/2019

All-Solve

SDS Number 300000078607

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : All-Solve

Product Use Description : Polyurethane remover

Manufacturer/Importer/Distributor : Pinnacle West Enterprises Inc.
31897 Mercantile Way
Abbotsford, BC V2T4C3
www.pinnaclewest.net

Telephone : 604-854-5968

Emergency telephone number (24h) : 1-800-424-9300
(+1) 703-741-5970 (CHEMTREC)

2. HAZARDS IDENTIFICATION

GHS classification

Flammable liquids - Category 4
Acute toxicity - Category 4
Skin Corrosion/Irritation - Category 2
Serious Eye Damage/Eye Irritation - Category 1
Toxic to reproduction - Category 1B
Specific Target Organ Toxicity - Single Exposure - Narcotic effect. Category 3

GHS label elements

Hazard pictograms/symbols



Signal Word: Not applicable.

Hazard Statements:

H227:Combustible liquid
H302:Harmful if swallowed.
H315:Causes skin irritation.
H318:Causes serious eye damage.
H360:May damage fertility or the unborn child

Safety Data Sheet

Version 2.0

Revision Date 10/14/2019

All-Solve

SDS Number 300000078607

H336:May cause drowsiness or dizziness.

Precautionary Statements:

- Prevention**
- : P210:Keep away from heat/hot surfaces. - No smoking.
 - P280:Wear protective gloves/protective clothing/eye protection/face protection.
 - P264:Wash thoroughly after handling.
 - P270:Do not eat, drink or smoke when using this product.
 - P201:Obtain special instructions before use.
 - P281:Use personal protective equipment as required.
 - P261:Avoid breathing dust/fume/gas/mist/vapors/spray.
 - P271:Use only outdoors or in a well-ventilated area.
- Response**
- : P301+P312 :IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 - P330 :Rinse mouth.
 - P302+P352 :IF ON SKIN: Wash with plenty of water.
 - P332+P313 :If skin irritation occurs: Get medical advice/attention.
 - P305+P351+P338+P310 :IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a POISON CENTRE/doctor.
 - P304+P340 :IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 - P321 :Specific treatment (see on this label).
 - P362+P364 :Take off contaminated clothing and wash before reuse.
 - P370+P378 :In case of fire, use recommended extinguishing media for extinction.
- Storage**
- : P403+P233:Store in a well-ventilated place. Keep container tightly closed.
 - P405:Store locked up.
- Disposal**
- : P501:Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazards not otherwise classified

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Concentration (Weight)
Methyl-2-pyrrolidinone, 1-	872-50-4	40% - 60 %
Cyclic ester	Not Available	10% - 30 %
Cyclic glycol ether	Not Available	10% - 20 %
Nonylphenol, branched, ethoxylated	68412-54-4	2.5% - 10 %
Ether-ester solvent	Not Available	2.5% - 10 %

Safety Data Sheet

Version 2.0

Revision Date 10/14/2019

All-Solve

SDS Number 300000078607

Glycol Ether	Not Available	2.5% - 10 %
--------------	---------------	-------------

The composition is trade secret.

4. FIRST AID MEASURES

- General advice : Seek medical advice. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately.
- Eye contact : Hold eyelids apart, initiate and maintain gentle and continuous irrigation care is not promptly available, continue to irrigate for one hour.
- Skin contact : Wash off immediately with plenty of water for at least 20 minutes. Immediately remove contaminated clothing, and any extraneous chemical, if possible to do so without delay.
- Ingestion : Never give anything by mouth to an unconscious person. Prevent aspiration of vomit. Turn victim's head to the side.
- Inhalation : If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately. Move to fresh air.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam.
Carbon dioxide (CO₂).
Dry chemical.
Dry sand.
Limestone powder.
- Specific hazards : Ammonia gas may be liberated at high temperatures. In case of incomplete combustion an increased formation of oxides of nitrogen (NO_x) is to be expected. Incomplete combustion may form carbon monoxide. Burning produces noxious and toxic fumes. In the event of fire, cool tanks with water spray. Fire or intense heat may cause violent rupture of packages. Flash back possible over considerable distance. May form explosive mixtures in air.
- Special protective equipment for fire-fighters : Use personal protective equipment. Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Use self-contained breathing apparatus and chemically protective clothing. Remove all sources of ignition. Evacuate personnel to safe areas.
- Environmental precautions : Use appropriate containment to avoid environmental contamination. Do not allow spill to enter into sewers or waterways. Shut off or remove all ignition sources.

Safety Data Sheet

Version 2.0

Revision Date 10/14/2019

All-Solve

SDS Number 300000078607

Construct a dike to prevent spreading.

Methods for cleaning up : Call Emergency Response number for advice. Approach suspected leak areas with caution. Absorb with inert absorbent materials such as: Dry sand. Vermiculite. Activated charcoal. Place in appropriate chemical waste container.

Additional advice : If possible, stop flow of product.

7. HANDLING AND STORAGE

Handling

Avoid contact with eyes. See "Flammable and Combustible Liquid Code" NFPA No. 30, National Fire Protection Association, Boston, MA. Use personal protective equipment. When using, do not eat, drink or smoke.

Storage

Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in a dry, cool place. Keep away from oxidizers.

Technical measures/Precautions

Keep away from open flames, hot surfaces and sources of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures

Provide readily accessible eye wash stations and safety showers.

Provide natural or explosion-proof ventilation adequate to ensure concentrations are kept below exposure limits.

Personal protective equipment

Respiratory protection : Wear appropriate respirator when ventilation is inadequate.

Hand protection : Nitrile rubber.
Impervious gloves.
Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eye protection : Chemical resistant goggles must be worn.

Skin and body protection : Long sleeve shirts and trousers without cuffs.

Environmental exposure controls : Use appropriate containment to avoid environmental contamination. Do not allow spill to enter into sewers or waterways. Shut off or remove all ignition sources.

Special instructions for protection and hygiene : Provide readily accessible eye wash stations and safety showers.

Safety Data Sheet

Version 2.0
Revision Date 10/14/2019

All-Solve
SDS Number 300000078607

Exposure limit(s)

Methyl-2-pyrrolidinone, 1-	Time Weighted Average (TWA): CAD ON OEL	-	400 mg/m3
Cyclic glycol ether	Time Weighted Average (TWA): CAD ON OEL	25 ppm	141 mg/m3
Ether-ester solvent	Time Weighted Average (TWA): CAD ON OEL	50 ppm	300 mg/m3

Cyclic glycol ether-Skin designation: : CAD ON OEL--Can be absorbed through the skin.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid. Colorless - Light yellow
Odor	: No data available.
Odor threshold	: No data available.
pH	: No data available.
Melting point/range	: No data available.
Boiling point/range	: 410 °F (210 °C)
Flash point	: 192 °F (89 °C)
Evaporation rate	: No data available.
Flammability (solid, gas)	: Refer to product classification in Section 2
Upper/lower explosion/flammability limit	: No data available.
Vapor pressure	: 0.34 mmHg
Water solubility	: Completely soluble.
Relative vapor density	: No data available.
Relative density	: 1.065 (water = 1)
Partition coefficient: n-octanol/water [log Kow]	: No data available.
Auto-ignition temperature	: No data available.
Decomposition temperature	: No data available.

Safety Data Sheet

Version 2.0

Revision Date 10/14/2019

All-Solve

SDS Number 300000078607

Viscosity : No data available.

Molecular Weight : No data available.

Density : 66.486 lb/ft³ (1.065 g/cm³)

10. STABILITY AND REACTIVITY

Chemical Stability : Stable under normal conditions.

Conditions to avoid : Heat, flames and sparks.

Materials to avoid : Oxidizing agents.

Hazardous decomposition products : Carbon monoxide.
Carbon dioxide (CO₂).
Nitrogen oxides (NO_x).

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Likely routes of exposure

Effects on Eye : Causes eye burns. Risk of serious damage to eyes.

Effects on Skin : Causes skin irritation.

Inhalation Effects : Inhalation of vapors and/or aerosols in high concentration may cause irritation of respiratory system. May cause central nervous system effects, such as headache, nausea, dizziness, confusion, breathing difficulties. Severe cases of overexposure can result in respiratory failure.

Ingestion Effects : Harmful if swallowed.

Symptoms : No data available.

Acute toxicity

Acute Oral Toxicity : No data is available on the product itself.

Acute Oral Toxicity - Components

Methyl-2-pyrrolidinone, 1-	LD50 : 3,914 mg/kg	Species : Rat
Cyclic ester	LD50 : 1,540 mg/kg	Species : Rat
Cyclic glycol ether	LD50 : 1,840 mg/kg	Species : Rat
Nonylphenol, branched, ethoxylated	LD50 : > 2,000 mg/kg	Species : Rat
Ether-ester solvent	LD50 : > 4,000 mg/kg	Species : Rat

Inhalation : No data is available on the product itself.

Safety Data Sheet

Version 2.0

Revision Date 10/14/2019

All-Solve

SDS Number 300000078607

Inhalation - Components

Methyl-2-pyrrolidinone, 1-
Cyclic ester

LC50 (4 h) : > 5.1 mg/l

LC50 (4 h) : > 5.1 mg/l

Species : Rat

Species : Rat

Acute Dermal Toxicity : No data is available on the product itself.

Acute Dermal Toxicity - Components

Methyl-2-pyrrolidinone, 1-
Cyclic glycol ether
Nonylphenol, branched, ethoxylated
Ether-ester solvent

LD50 : 8,000 mg/kg

LD50 : 14,391 mg/kg

LD50 : > 2,000 mg/kg

LD50 : 10,000 mg/kg

Species : Rabbit

Species : Rat

Species : Rabbit

Species : Rabbit

Skin corrosion/irritation : Irritating to skin.

Serious eye damage/eye
irritation : Risk of serious damage to eyes.

Sensitization. : No data available.

Chronic toxicity or effects from long term exposures

Carcinogenicity : No data available.

Reproductive toxicity : 1-Methyl-2-Pyrrolidone has caused embryotoxic and teratogenic effects in laboratory animals.

Germ cell mutagenicity : No data is available on the product itself.

Specific target organ systemic
toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ systemic
toxicity (repeated exposure) : No data available.

Aspiration hazard : No data available.

This product contains no listed carcinogens according to IARC, ACGIH, NTP and/or OSHA in concentrations of 0.1 percent or greater. Repeated and/or prolonged exposures may result in : Blood chemistry changes (such as methemoglobinemia leading to cyanosis or loss of consciousness), Kidney disorders.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Aquatic toxicity : No data is available on the product itself.

Safety Data Sheet

Version 2.0

Revision Date 10/14/2019

All-Solve

SDS Number 300000078607

Toxicity to fish - Components

Methyl-2-pyrrolidinone, 1-

LC50 (96 h) : 832 mg/l

Species : Bluegill
(Lepomis macrochirus)

Methyl-2-pyrrolidinone, 1-

LC50 (96 h) : 4,000 mg/l

Species : Golden Orfe
(Leuciscus lodus L,
Golden variety)

Cyclic ester

LC50 (96 h) : 220 - 460 mg/l

Species : Fish

Ether-ester solvent

LC50 (96 h) : 45 - 62 mg/l

Species : Fish

Toxicity to daphnia - Components

Methyl-2-pyrrolidinone, 1-

EC 50 (48 h) : > 4,000 mg/l

Species : Daphnia

Cyclic ester

EC 50 (48 h) : > 500 mg/l

Species : Daphnia

Ether-ester solvent

EC 50 (48 h) : 470 - 800 mg/l

Species : Daphnia

Toxicity to algae - Components

Cyclic ester

EC 50 (72 h) : 360 mg/l

Species : Algae

Ether-ester solvent

IC 50 (72 h) : > 1,000 mg/l

Species : Algae

Toxicity to other organisms : No data available.

Persistence and degradability

Biodegradability : No data is available on the product itself.

Mobility : No data available.

Bioaccumulation : No data is available on the product itself.

Bioaccumulation - Components

Methyl-2-pyrrolidinone, 1-

Negligible bioaccumulation potential.

Cyclic ester

Negligible bioaccumulation potential.

Ether-ester solvent

Low bioaccumulation potential.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products : The product should not be allowed to enter drains, water courses or the soil; dispose of this material and its container in a safe way. Waste from residues / unused products: do not discharge effluent containing this product into waterways or sewer systems without proper authorization. Contact supplier if guidance is required.

Contaminated packaging : Dispose of container and unused contents in accordance with federal, state, and local requirements.

14. TRANSPORT INFORMATION

DOT

Safety Data Sheet

Version 2.0

Revision Date 10/14/2019

All-Solve

SDS Number 300000078607

UN/ID No. : NA1993
Proper shipping name : Combustible liquid, n.o.s., (Ether-ester solvent)
Packing group : III

Marine Pollutant : No

*** NOTE: When packaged in a bulk quantity (>450 liters), this substance is classified as NA1993 Combustible Liquid for surface transportation within the United States. In smaller containers, the product is not regulated for transportation.

IATA

Not dangerous goods

IMDG

Not dangerous goods

TDG

Not dangerous goods

Further Information

The transportation information is not intended to convey all specific regulatory data relating to this material. For complete transportation information, contact customer service.

15. REGULATORY INFORMATION

Country	Regulatory list	Notification
USA	TSCA	Included on Inventory.
EU	EINECS	Not on Inventory.
Canada	DSL	Included on Inventory.
Australia	AICS	Included on Inventory.
Japan	ENCS	Included on Inventory.
South Korea	ECL	Included on Inventory.
China	SEPA	Included on Inventory.
Philippines	PICCS	Included on Inventory.

EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification
Fire Hazard. Acute Health Hazard Chronic Health Hazard

16. OTHER INFORMATION

HMIS Rating

Health : 3*

Safety Data Sheet

Version 2.0

Revision Date 10/14/2019

All-Solve

SDS Number 300000078607

Flammability : 2

Physical hazard : 0

Prepared by : Product Regulatory Department

Telephone : 604-854-5968

Preparation Date : 01/21/2022

For additional information, please visit Pinnacle West Enterprises Inc. web site.

<http://www.pinnaclewest.net/>
